

SAFETY DATA SHEET

Rubber Base

Date: 13.03.2025

Version: 1.0

Date of revision:

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** Rubber Base
Other means of identification: mixture
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Relevant uses: styling nails (cosmetic product)
Uses advised against: All uses not specified in this section
- 1.3 Details of the supplier of the safety data:**
CACTUS FOR YOU S.R.L
Via Fausto Melotti 2, 20138,
Milano, Italy
Phone: +39 392 375 8966
e-mail: info@cactusforyou.com
- 1.4 Emergency telephone number:** 112

SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
CLP Regulation (EC) No 1272/2008:
The product is classified as hazardous according to CLP Regulation (EC) No 1272/2008:
Eye Irrit. 2 H319
Skin Sens. 1 H317
Skin Irrit. 2 H315
STOT SE 3 H335
- 2.2 Label elements**
CLP Regulation (EC) No 1272/2008

Signal word: Warning**Hazard statements:**

- Eye Irrit. 2 Causes serious eye irritation.
Skin Sens. 1 May cause an allergic skin reaction.
Skin Irrit. 2 Causes skin irritation.
STOT SE 3 May cause respiratory irritation.

Precautionary statements:

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

Wash hands thoroughly after handling. IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.1 Substances:**

Non-applicable

3.2 Mixtures:

Identification	Chemical name/Classification		Concentration [%]
CAS: 25035-69-2 EC: 607-492-1	Acrylates Copolymer		30-55
	Regulation 1272/2008	Skin Irrit. 2 H315 Eye Irrit. 2 H319 STOT SE 3 H335	
CAS: 5888-33-5 EC: 227-561-6	Isobornyl Acrylate		10-25
	Regulation 1272/2008	Skin Sens. 1A. H317	
CAS: 84434-11-7 EC: 282-810-6	Ethyl Trimethylbenzoyl Phenylphosphinate		5-15
	Regulation 1272/2008	Skin Sens. 1B H317 H317 Aquatic Chronic 2 H411	
CAS: 923-26-2 EC: 213-090-3	Hydroxypropyl Methacrylate		1-10
	Regulation 1272/2008	Eye Irrit. 2 H319 Skin Sens. 1 H317	
CAS: 9004-36-8 EC: 618-381-2	Cellulose Acetate Butyrate		1-10
	Regulation 1272/2008	Not Classified	
CAS: 63231-60-7 EC: 264-038-1	Microcrystalline wax		1-5
	Regulation 1272/2008	Not classified	
CAS: 9006-65-9 EC: 618-433-4	Dimethicone		1-5
	Regulation 1272/2008	Eye Irrit. 2 H319	
CAS: 64-19-7 EC: 200-580-7	Acetic acid		0,5-2
	Regulation 1272/2008	Flam. Liq. 3 H226 Skin Corr. 1A. H314	
CAS: 1309-37-1 EC: 215-168-2	CI 77491		0-1
	Regulation 1272/2008	Not Classified	
CAS: 51274-00-1 EC: 257-098-5	CI 77492		0-1
	Regulation 1272/2008	Not Classified	
CAS: 13463-67-7 EC: 236-675-5	CI 77891		0-1
	Regulation 1272/2008	Carc. 2 H351 (inhalation)	

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

CAS: 12769-96-9 EC: 235-811-0	CI 77007		0-1
	Regulation 1272/2008	Not Classified	
CAS: 1333-86-4 EC: 215-609-9	CI 77266		0-1
	Regulation 1272/2008	Not Classified	
CAS: 81-48-1 EC: 201-353-5	CI 60725		0-1
	Regulation 1272/2008	Skin Sens. 1B. H317	

SECTION 4: FIRST AID MEASURES**4.1 Description of first aid measures**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

In case the skin is affected (stinging, redness, rashes, blisters,...), seek medical help with this Safety Data Form.

By eye contact:

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed

No data

SECTION 5: FIREFIGHTING MEASURES**5.1 Extinguishing media**

Suitable extinguishing media: If possible use polyvalent powder fire extinguishers (ABC powder), alternatively use foam or carbon dioxide extinguishers (CO₂).

Unsuitable extinguishing media: IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture

SAFETY DATA SHEET

Rubber Base

Date: 13.03.2025

Version: 1.0

Date of revision:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

6.2 Environmental precautions

Keep product away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.6.4.

6.4 Reference to other sections

See p.8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

A - Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B - Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C - Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D - Technical recommendations to prevent environmental risks

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities

A - Technical aspects of storage.

Min temp.: 5°C

Max temp.: 35°C

B - General storage conditions.

Avoid sources of heat, radiation and electrostatics. Store away from foodstuffs. For more information see section 10.5.

7.3 Specific end use(s)

See section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Acetic Acid: NDS 25 mg/m³; NDSch 50 mg/m³

CI 77891: NDS 10 mg/m³

CI 77266: NDS 4 mg/m³

8.2 Exposure controlsA - General security and hygiene measures in the work place

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B - Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C - Specific protection for the hands

Non-applicable or if the skin is dirty, wash it thoroughly.

D - Ocular and facial protection

Non-applicable (cosmetics product)

E - Body protection

Non-applicable

F - Additional emergency measures

It is not necessary to take additional emergency measures.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**Appearance:

Physical state at 20 °C: Liquid

Appearance: Fluid

Colour: characteristic

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

Odour: Characteristic

Odour threshold: Non-applicable

Volatility:

Boiling point at atmospheric pressure: Non-applicable

Vapour pressure at 20 °C: Non-applicable

Vapour pressure at 50 °C: Non-applicable

Evaporation rate at 20 °C: Non-applicable

Product description:

Density at 20 °C: 1,05-1,15

Relative density at 20 °C: Non-applicable

Dynamic viscosity at 20 °C: Non-applicable

Kinematic viscosity at 20 °C: Non-applicable

Kinematic viscosity at 40 °C: Non-applicable

pH: Non-applicable

Vapour density at 20 °C: Non-applicable

Partition coefficient n-octanol/water 20 °C: Non-applicable

Solubility in water at 20 °C: soluble

Solubility properties: Non-applicable

Decomposition temperature: Non-applicable

Melting point/freezing point: Non-applicable

Explosive properties: Non-applicable

Oxidising properties: Non-applicable

Flammability:

Flash Point: Non Flammable (>60 °C)

Heat of combustion: Non-applicable

Flammability (solid, gas): Non-applicable

Autoignition temperature: Non-applicable

Lower flammability limit: Non-applicable

Upper flammability limit: Non-applicable

Explosive:

Lower explosive limit: Non-applicable

Upper explosive limit: Non-applicable

9.2 Other information

Surface tension at 20 °C: Non-applicable

Refraction index: Non-applicable

9.2.1 Information with regard to physical hazard classes

Non-applicable

9.2.2 Other safety characteristics

Non-applicable

SECTION 10: STABILITY AND REACTIVITY**10.1 Reactivity**

Risk of exothermic polymerisation upon contact with incompatible materials.

10.2 Chemical stability

Risk of exothermic polymerisation.

10.3 Possibility of hazardous reactions

May emit volatile, flammable vapours. Avoid handling close to heat or ignition sources. May polymerise. Danger of bursting of closed systems to vigorous exothermic polymerization. Avoid uncontrolled polymerization.

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

10.4 Conditions to avoid

Avoid heat, sparks and open flames. Protect from direct sunlight. Avoid heating.

10.5 Incompatible materials

Protect against strong acids and bases, as well as against oxidizing agents.

10.6 Hazardous decomposition products

In the case of normal use, they do not arise. Dangerous products such as carbon monoxide and carbon dioxide are formed at high temperatures and during fire.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:**

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure

limits, adverse effects on health may result, depending on the means of exposure:

A - Ingestion (acute effect):

Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for consumption. For more information see section 3.

Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

B - Inhalation (acute effect):

Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.

Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

C - Contact with the skin and the eyes (acute effect):

Contact with the skin: May cause skin irritation. For more information see section 3.

Contact with the eyes: May cause eyes irritation. For more information see section 3.

D - CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E - Sensitizing effects:

Respiratory: May cause sensitizing effect. For more information see section 3.

Cutaneous: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F - Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3.

G - Specific target organ toxicity (STOT)-repeated exposure:

- May cause drowsiness or dizziness.

SAFETY DATA SHEET

Rubber Base

Date: 13.03.2025

Version: 1.0

Date of revision:

- Skin: Based on available data, the classification criteria are not met. However, it does contain substances which are classified as dangerous due to repetitive exposure. For more information see section 3.

H - Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

11.2 Other information:

Non-applicable

Specific toxicology information on the substances:

Isobornyl Acrylate

LD50 4 350 - 5 750 mg/kg, oral

LD50 3 000 mg/kg, dermal

Acetic acid

LD50 3 310 mg/kg, oral

LC50 (4 h) 8.5 - 12.7 mg/L, inhalation

Microcrystalline Wax

LD50 5000 mg/kg, oral

LD50 2000 mg/kg, dermal

Ethyl Trimethylbenzoyl Phenylphosphinate

LD50 5 000 mg/kg, oral

LD50 5 000 mg/kg, dermal

CI 77491

LD50 5 000 - 10 000 mg/kg, oral

CI 77492

LD50 10 000 mg/kg, oral

CI 77891

LD50 2 000 - 25 000 mg/kg, oral

LC50 (4 h) 3.43 - 6.82 mg/L air, inhalation

CI 77266

LD50 2 000 - 10 000 mg/kg, oral

LC0 (18 h) 13 mg/m³ air, inhalation

CI 77163

LD50 10 000 mg/kg, oral

LC50 (4 h) 5.07 mg/L air, inhalation

CI 15880

LD50 5 000 mg/kg, oral

LC50 (4 h) 5 mg/L, inhalation

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:

Isobornyl Acrylate

SAFETY DATA SHEET**Rubber Base**

Date: 13.03.2025

Version: 1.0

Date of revision:

LC50 (4 days) 704 µg/L, fish
 EC50 (21 days) 524 - 874 µg/L, aquatic invertebrates

Acetic acid
 LC50 (4 days) 300.82 - 1 000 mg/L, fish
 EC50 (48 h) 300.82 - 1 000 mg/L, aquatic invertebrates
 EC50 (72 h) 300.82 - 1 000 mg/L, algae and cyanobacteria

Ethyl Trimethylbenzoyl Phenylphosphinate
 LC50 (4 days) 1.89 mg/L, fish
 EC50 (48 h) 2.26 mg/L, aquatic invertebrates

CI 77491
 LC0 (4 days) 10 - 100 g/L, fish
 EC50 (48 h) 100 mg/L, aquatic invertebrates
 EC50 (72 h) 20 mg/L, algae and cyanobacteria

CI 77492
 LC50 (4 days) 100 g/L, fish
 EC50 (48 h) 100 mg/L, aquatic invertebrates
 EC50 (72 h) 20 mg/L, algae and cyanobacteria

CI 77891
 LC50 (14 days) 870 - 1 100 µg/L, fish
 NOEC (28 days) 4 - 80 µg/L, fish
 EC50 (72 h) 3.58 - 100 mg/L, aquatic invertebrates
 EC50 (72 h) 100 mg/L algae and cyanobacteria

CI 77266
 LC50 (4 days) 100 - 10 000 mg/L, fish
 EC50 (24 h) 5.6 g/L, aquatic invertebrates
 EC50 (72 h) 100 - 10 000 mg/L, algae and cyanobacteria

CI 60725

12.2 Persistence and degradability:

No data

12.3 Bioaccumulative potential:

Isopropyl Alcohol: Bioaccumulation Factor (BCF) - L/kg ww 1.015 L/kg ww

12.4 Mobility in soil:

No data

12.5 Results of PBT and vPvB assessment

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties

SAFETY DATA SHEET

Rubber Base

Date: 13.03.2025

Version: 1.0

Date of revision:

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7 Other adverse effects

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

SECTION 14: TRANSPORT INFORMATION

14.1 Other relevant information:

ADR / RID: not applicable ; IMDG: not applicable; IATA: not applicable

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Public Health Act. Announcement of the Marshal of the Sejm of the Republic of Poland of 19 April 2016 on the announcement of the consolidated text of the Act - Environmental Protection Law (Journal of Laws of 2016, item 672). Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of December 18, 2006 on the Registration, Evaluation, Authorization and Restriction of Chemical Substances, on the establishment of the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93, Commission Regulation (EC) No. 1488/94, Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC in force sound. Regulation of the European Parliament and of the Council (EC) No. 1272/2008 in its current wording. Regulation (EC) No. 694/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals. Act of 25 February 2011 on chemical substances and their mixtures (Journal of Laws of 2020, item 2289, of 2021, item 2151). Regulation of the Minister of Health of 20 April 2012 on labeling packaging of dangerous substances and dangerous mixtures and certain mixtures (Journal of Laws No. , item 445). Regulation of the Minister of Health of 10 August 2012 on the criteria and method of classification of chemical substances and their mixtures (Journal of Laws No. 1018). Act of 28 May 2020 amending the Act on chemical substances and their mixtures and certain other acts (Journal of Laws 2020, item 1337) transport of dangerous goods (Journal of Laws 2020, item 154). Act of January 23, 2020 amending the Act on waste and certain other acts. (Journal of Laws of January 23, 2020, item 150). Act of 13 June 2013 on the management of packaging and packaging waste (Journal of Laws of 2013, item 888). Regulation of the Minister of Family, Labor and Social Policy of June 12, 2018 on the maximum permissible concentrations and intensities of factors harmful to health in the work environment. The product contains explosives precursors subject to mandatory reporting: Reporting Suspicious Transactions, Disappearances and Thefts in accordance with Regulation (EU) 2019/1148, Article 9.

SAFETY DATA SHEET

Rubber Base

Date: 13.03.2025

Version: 1.0

Date of revision:

15.2 Chemical safety assessment

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (Regulation (EC) No 2015/830). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: Non-applicable

Texts of the legislative phrases mentioned in section 2:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H315 Causes skin irritation.

H335 May cause respiratory irritation.

Advice related to training:

Minimal training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon